

# PREGNANCY AND YOUR SMILE: KEY DENTAL CHANGES TO WATCH OUT FOR

*Posted on October 4, 2024 by Sangeetha M*



**Category:** [Opinions](#)

Pregnancy is a transformative and exciting time, but it also brings numerous changes to a woman's body. While many expecting mothers focus on aspects like nutrition, sleep, and prenatal care, oral health often gets overlooked. Yet, pregnancy can significantly impact dental health due to hormonal fluctuations, dietary changes, and lifestyle shifts. Ignoring oral health during this period can lead to serious issues that affect both the mother and her baby. One of the most significant contributors to oral health changes during pregnancy is the rise in hormone levels. Elevated levels of estrogen and progesterone, essential for supporting the baby's development, also make gums more sensitive to the presence of plaque. This increased sensitivity can lead to pregnancy gingivitis, which is characterized by red, swollen, and bleeding gums. It usually occurs between the third and ninth months of pregnancy and affects 40–70% of pregnant women and occurs 1.81 to 2.2 times more frequently than in non-pregnant women. Left untreated, gingivitis can progress to periodontitis, a more severe form of gum disease that damages the bone and tissues supporting the teeth.

Periodontitis not only threatens the mother's oral health but can also have serious consequences for pregnancy outcomes. Studies have linked periodontitis to preterm birth and low birth weight. The inflammation caused by gum disease can prompt the body to prematurely release chemicals that induce premature labour. Therefore, maintaining healthy gums during pregnancy is essential to avoid these potential complications. Regular dental check-ups, combined with proper at-home care, can prevent gingivitis from escalating into periodontitis.

Many pregnant women experience morning sickness, especially during the first trimester. Vomiting exposes the teeth to stomach acid, which can erode tooth enamel, leading to an increased risk of tooth decay. Enamel erosion weakens the teeth, making them more susceptible to cavities. To mitigate this, pregnant women should rinse their mouths with water or fluoride mouthwash after vomiting and wait at least 30 minutes before brushing. Brushing immediately after vomiting can spread the acid over the teeth, worsening the damage to enamel.

In addition to the challenges posed by morning sickness, many pregnant women experience cravings for sugary or carbohydrate-rich foods. While indulging occasionally is normal, frequent snacking on sugary treats can encourage plaque buildup and lead to cavities. Plaque is a sticky film of bacteria that forms on teeth and gums. When sugar is consumed, bacteria in the mouth produce acid, which can erode enamel and irritate the gums. Managing these cravings is important for maintaining oral health during pregnancy.

A nutrient-rich diet is critical not just for the mother's health, but also for the babies. The development of the baby's teeth begins as early as the fifth and sixth weeks of pregnancy. Consuming foods rich in calcium, such as seeds, leafy greens, cheese, yoghurt supports strong tooth formation for the baby. Vitamins like A, C, and D are equally important for oral health, as they help strengthen teeth and maintain gum tissue. Pregnant women should aim for a balanced diet that includes fruits, vegetables, lean proteins, and dairy products while limiting sticky, sugary snacks that can stick to the teeth and increase the risk of decay.

Maintaining a good oral hygiene routine is critical during pregnancy. Pregnant women should brush their teeth twice a day with fluoride toothpaste and floss daily to remove plaque from between the teeth. Additionally, rinsing with fluoride mouthwash can help strengthen enamel and prevent tooth decay. While some women worry about visiting the dentist during pregnancy, most dental procedures are safe, especially in the second trimester. This period is considered the safest time for treatments like cleanings, fillings, and extractions. Pregnant women should also make sure to inform their dentist about their pregnancy. Precautions can be taken, such as minimizing radiation exposure during dental X-rays by using protective shields. Xylitol and chlorhexidine can be used postpartum for high-risk mothers to lower the transmission of cariogenic bacteria to their infants. Ensuring proper dental care during pregnancy can improve prenatal outcomes and reduce the risk of caries in infants.

In developing countries like India, oral health care during pregnancy is often overlooked in antenatal care protocols, despite its growing recognition as essential in many developed nations. Integrating oral health into routine antenatal care is crucial for improving outcomes for both mothers and babies. Evidence-based guidelines for managing oral health during pregnancy are still being developed. Educating pregnant women about the importance of oral hygiene and proper nutrition can prevent conditions like periodontitis and reduce the risk of preterm birth and low birth weight. Conditions such as gingivitis and pregnancy tumors are generally harmless and require reassurance

and monitoring. It is essential to screen all pregnant women for oral health risks, provide counselling on proper oral hygiene, and refer them for dental care when needed. Dental procedures like diagnostic X-rays, periodontal treatments, restorations, and extractions are safe and most appropriate during the second trimester.

It's important for healthcare providers to emphasize oral health during pregnancy and to provide women with the tools and knowledge they need to care for their teeth and gums. Regular dental visits, combined with at-home care, can make a significant difference in preventing pregnancy-related oral health issues. Additionally, educating expecting mothers about the role of diet and oral hygiene can promote better health outcomes for both the mother and baby. Maintaining oral health during pregnancy is not just about keeping a bright smile—it's about ensuring the overall health of both mother and baby. Hormonal changes, morning sickness, and dietary shifts all contribute to an increased risk of dental issues during pregnancy. The impact of diet on dental caries development is significant, and caries prevention involves reducing the frequency and quantity of cariogenic foods, particularly refined carbohydrates like sugars and sweets. A healthy diet should emphasize foods that prevent caries, such as solid foods that help mechanically clean teeth and those rich in essential vitamins (A, C, D), calcium, phosphates, and fluorides, which contribute to the preservation and remineralization of tooth structures. Educating pregnant women about proper nutrition is vital for promoting both oral and general health for themselves and their babies. Proper oral care during pregnancy is an essential component of prenatal health, and healthcare providers should ensure it is part of every pregnant woman's routine.

## References:

1. Dommisch H, Staufienbiel I, Schulze K, Stiesch M, Winkel A, Fimmers R, et al. Expression of antimicrobial peptides and interleukin-8 during early stages of inflammation: An experimental gingivitis study. *J Periodontal Res.* 2015;50(6):836–45.
2. Yenen Z, Ataçağ T. Oral care in pregnancy. *J Turk Ger Gynecol Assoc.* 2019 Dec;20(4):264–8.
3. Canada PHA of. Oral health and pregnancy . 2014 . Available from: <https://www.canada.ca/en/public-health/services/pregnancy/oral-health-pregnancy.html>
4. Oral Health During Pregnancy | AAFP . . Available from: <https://www.aafp.org/pubs/afp/issues/2008/0415/p1139.html>
5. Rahman M, HASAN M, Islam M, Ahmad M, Alam M, Islam K. Oral Health Status of Pregnant Women attended the Mothers and Children Welfare Center (MCWC) in Bangladesh. *City Dent Coll J.* 2013 Jul 1;10:1–4.

6. Wu M, Chen SW, Jiang SY. Relationship between Gingival Inflammation and Pregnancy. *Mediators Inflamm*. 2015;2015(1):623427.
7. CDC. Oral Health. 2024 . Talking to Pregnant Women about Oral Health. Available from: <https://www.cdc.gov/oral-health/hcp/conversation-tips/talking-to-pregnant-women-about-oral-health.html>
8. Marla V, Srii R, Roy DK, Ajmera H. The Importance of Oral Health during Pregnancy: A review. *MedicalExpress*. 2018 Apr 9;5:mr18002.
9. Jevtić M, Pantelinac J, Jovanović-Ilić T, Petrović V, Grgić O, Blažić L. The role of nutrition in caries prevention and maintenance of oral health during pregnancy. *Med Pregl*. 2015;68(11-12):387-93.

About the Author: Sangeetha M is MPH Scholar at Edward & Cynthia Institute of Public Health – Advanced Technical Cooperation Center with Yenepoya ( DU).

Disclaimer: Views expressed are the author's own. Edward & Cynthia Institute of Public Health or Yenepoya (Deemed to be University) are not responsible for contents or opinions reflected in this article.